


CERTIFICATE OF ANALYSIS

SAMPLE INFORMATION

Product Name	MOTS-C 20 mg
Client Name/Lot No.	██████████ Batch# MT20HK825
Sequence	Met-Arg-Trp-Gln-Glu-Met-Gly-Tyr-Ile-Phe-Tyr-Pro-Arg-Lys-Leu-Arg
Dissolution condition	100% H2O
Length	16AA
Molecular Weight	2174.60 g/mol

CHROMATOGRAM



Peak #	Ret. Time	Area %
1	11.272	99.786

TEST RESULTS

	Specifications	Results
Strength	20.00 mg	20.18 mg
Appearance	White to off white lyophilized powder	Conforms
Purity	≥98.0%	99.8%
pH value	6.0-8.0	6.5
Impurity	Single Impurity ≤1.0%	0.1%
	Total Impurity ≤2.0%	0.2%

TEST PARAMETERS

Pump A	0.1% trifluoroacetic in 100% water
Pump B	0.1% trifluoroacetic in 100% acetonitrile
Total Flow	1.0ml/min
Wavelength	214nm
Analytical Column Type	Agilent ZORBAX StableBond 5µm C18 (4.6*250mm*5 µm)
Dissolution Method	100% H2O
Injection Volume	20µL

CONCLUSION

One 3ml contained a white lyophilized powder and has a black cap with a silver crimp.

The sample was analysed using Reverse Phase High Performance Liquid Chromatography (RP-HPLC) and determined to contain 99.8% MOTS-C (20.18 mg), and the rest are impurities of minor significance.

CERTIFIED BY:



Dane Fredericksen
Analytical Chemist
09/11/2025



****Verify the validity of test results by contacting support@foreveryoungpharmacy.com****